

Acoustic Performance Summary—Single Leaf

	Threshold required	Acoustic seal(s)			Glass Type	dB (Rw) Rating	Fire Rating	Acoustic Test Reference
		Jams	Head	Door Base				
SLSS Flush	LAS 4015	1no LP 1004 DS	1no LP 1004 DS	2no LAS 1511 Firtree	n/a	44dB	NFR	SRL 20518/ R01b 08
SLSS Glazed	LAS 4014si	1no LP 1504DS	1no LP 1504DS	LAS 8001 si	15mm Pyrostop	40dB	NFR	LOR 141113 003
SLSS Glazed	LAS 4014si	1no LP 1504DS	1no LP 1504DS	LAS 8001 si	23mm Pyrostop	40dB	NFR	LOR 141114 001

Acoustic Performance Summary—Double Leaves

	Threshold required	Acoustic seal(s)				Glass Type	dB (Rw) Rating	Fire Rating	Acoustic Test Reference
		Jambs	Head	M/S	Door Base				
DLSS Flush	LAS 4014 si	1no LAS 1212 & 1no LAS 1011	1no LAS 1212 & 1no LAS 1011	2no LAS1011	LP 8001 si	n/a	40dB	NFR	LOR 140415 003
DLSS Flush	LAS 4014 si	1no LAS 1212 & 1no LAS 1011	1no LAS 1212 & 1no LAS 1011	2no LP 1004 DS	LP 8001 si	n/a	40dB	NFR	LOR 140415 004